


**A1/62**

**E10**  
Ø 9 x 23 mm



CODE STOCK PART NUMBER	RÉFÉRENCE	VOLTS	mA	WATTS	DURÉE DE VIE AC LIFE	FILAMENT
114600	<b>E 3891</b>	6	200	1,2	2 000	C2V
114601	<b>E 3895</b>	6	350	2	1 000	C2R
114602	<b>E 2336</b>	6	500	3	1 000	C2R
114603	<b>E 2339</b>	12	120	1,5	2 000	C2V
114610	<b>E 3796</b>	12	170	2,2	1 000	C2V
114604	<b>E 3894</b>	12	250	3	1 000	C2R
114612	<b>E 3896</b>	24	50	1,2	2 000	C2F
114620	<b>E 3797</b>	24	80	2	2 000	C2F
114605	<b>E 3798</b>	24	125	3	1 000	C2F
114606	<b>E 2343</b>	30	40	1,2	1 000	C2F
114608	<b>E 2344</b>	30	66	2	1 000	C2F
114607	<b>E 2330</b>	30	100	3	2 000	C2F
114609	<b>E 2346</b>	36	50	1,8	1 000	C2F
114611	<b>E 2345</b>	36	83	3	1 000	C2F
114635	<b>E 2347</b>	48	20	1	1 000	C2F
114640	<b>E 2348</b>	48	40	2	1 000	C2F
114641	<b>E 2349</b>	48	60	3	2 000	C2F
114642	<b>E 2358</b>	60	20	1,2	1 000	C2F
114660	<b>E 2360</b>	60	35	3	1 000	C3A
114661	<b>E 2314</b>	130	20	2,6	1 000	CC5
114662	<b>E 2380</b>	240	12,5	3	1 000	CC6

**LONGUE DUREE / Long life**




114599	<b>EA 3889</b>	6	50	0,3	5 000	C2R
114613	<b>EA 3894</b>	12	250	3	5 000	C2V
114614	<b>EA 2330</b>	30	100	3	5 000	C2F



**A1/63**

**E10**  
Ø 11 x 23 mm - Ballon



**SIGNALISATION**  
SIGNAL LAMPS

CODE STOCK PART NUMBER	RÉFÉRENCE	CODE US US CODE	VOLTS	mA	WATTS	DURÉE DE VIE AC LIFE	FILAMENT
114788	<b>E 3638</b>		1,25	250	0,31	10	S2
116789	<b>E 3637</b>		1,35	180	0,24	15	C2R
114790	<b>E 2301</b>		1,5	90	0,13	500	C2R
114793	<b>E 3628</b>		1,5	200	0,3	100	C2R
114795	<b>E 3630</b>		2,2	200	0,44	15	C2R
114800	<b>E 2302</b>		2,5	60	0,15	1 000	C2R
114797	<b>E 3635</b>		2,5	100	0,25	100	C2R
114802	<b>E 3645</b>		2,5	200	0,50	15	C2R
114806	<b>E 3625</b>		2,5	300	0,70	15	C2R
114808	<b>E 3623</b>		2,5	500	1,25	15	C2R
114810	<b>E 3191</b>		3,5	150	0,52	5 000	C2R
114809	<b>E 3646</b>		3,5	200	0,70	10	C2R
114812	<b>E 3547</b>		3,5	300	1,05	100	C2R
114814	<b>E 3626</b>		3,8	300	1,14	10	C2R
114815	<b>E 2303</b>		4	40	0,16	1 000	C2V
114818	<b>E 2304</b>		4	300	1,12	500	C2R
114819	<b>E 2305</b>		4	500	2	500	C2R
114821	<b>E 2307</b>		6	50	0,3	1 000	C2R
114820	<b>E 2306</b>		6	60	0,36	1 000	C2V
114830	<b>E 2308</b>		6	100	0,6	2 000	C2V
114850	<b>E 3965</b>		6	350	2	200	C2R
114854	<b>E 2309</b>		6	600	3,6	100	C2R
114835	<b>E 2311</b>		6	750	4,5	75	C2R
114855	<b>E 3473</b>		6,5	150	0,97	3 000	C2R
114856	<b>E 3501</b>		6,5	300	1,95	4 000	C2R
114857	<b>E 2310</b>		7	100	0,7	1 000	C2V
114859	<b>E 3505</b>		7	300	2,1	1 000	C2R
114870	<b>E 2312</b>		12	50	0,6	1 000	C2V
114880	<b>E 2313</b>		12	100	1,2	700	C2V
114882	<b>E 3987</b>	987	12	183	2,2	3 000	C2V
114885	<b>E 3966</b>		12	250	3	200	C2R
114887	<b>E 2319</b>		19	40	0,76	1 000	C2V
114900	<b>E 2324</b>		24	50	1,2	1 000	C2F
114920	<b>E 2326</b>		24	100	2,4	1 000	C2F
114922	<b>E 3967</b>		24	125	3	200	C2F
114924	<b>E 2328</b>		24	200	4,8	500	C2F


**HAUTE LUMINOSITE / High brightness - 5 lumens**



114590	<b>G 972</b>		2,5	300	0,70	100	CR2
--------	--------------	--	-----	-----	------	-----	-----

A1/64

E10  
Ø 15 x 28 mm - Ballon



CODE STOCK PART NUMBER	RÉFÉRENCE	VOLTS	mA/A	WATTS	DURÉE DE VIE AC LIFE	FILAMENT
114927	<b>E 2835</b>	1,5	300	0,45	50	C2F
114925	<b>E 2806</b>	2,5	500	1,25	300	C2F
114929	<b>E 2831</b>	3,5	300	1,05	50	C2F
114930	<b>E 2808</b>	6	350	2	500	C2R
114926	<b>E 2807</b>	6	400	2,4	100	C2R
114931	<b>E 2811</b>	6	500	3	500	C2R
114932	<b>E 2809</b>	6	1 A	6	300	C2R
114936	<b>E 2833</b>	12	100	1,2	1 000	C2R
114935	<b>E 2812</b>	12	170	2	1 000	C2R
114940	<b>E 2810</b>	12	350	4	700	C2R
114942	<b>E 3856</b>	12	500	6	500	C2R
114944	<b>E 2814</b>	14	550	7,7	300	C2R
114960	<b>E 2821</b>	24	125	3	2 000	C2F
114962	<b>E 2820</b>	24	150	3,6	1 000	C2F
114965	<b>E 2822</b>	24	200	5	500	C2F
114970	<b>E 2825</b>	28	150	4,2	1 000	C2F
114961	<b>E 2824</b>	30	130	4	1 000	C2F
114980	<b>E 2830</b>	48	60	3	1 000	C2F
114982	<b>E 2832</b>	55	90	5	1 000	C2F

**VERRE JAUNE / Yellow glass bulb**



114934	<b>E 2807 Y</b>	6	400	2,4	100	C2R
114933	<b>E 2809 Y</b>	6	1 A	6	100	C2R
114941	<b>E 2810 Y</b>	12	350	4	300	C2R


**VERSION CLIGNOTANTE/Blinking type**



114945	<b>E 2803 CL</b>	2,5	0,3 A	0,75	1 000	-
114928	<b>E 2806 CL</b>	2,5	0,5 A	1,25	1 000	-
114946	<b>E 2831 CL</b>	3,8	0,3 A	1,14	1 000	-
114947	<b>E 3948 CL</b>	4,8	0,5 A	2,4	1 000	-
114948	<b>E 2811 CL</b>	6,0	0,5 A	3	1 000	-


**A1/65**

**E10 - TYPE STANDARD**  
Ø 10 x 28 mm




**SIGNALISATION**  
SIGNAL LAMPS

CODE STOCK PART NUMBER	RÉFÉRENCE	CODE US US CODE	VOLTS	mA	WATTS	DURÉE DE VIE AC LIFE	FILAMENT
115056	<b>E 1800</b>	1800	1,35	60	0,08	500	S2
115057	<b>E 3049</b>	48	2	60	0,12	1 000	S2
115058	<b>E 3043</b>		2,5	500	1,25	3 000	C2R
115055	<b>E 3439</b>		5	90	0,45	1 500	C2V
115060	<b>E 3065</b>		6	50	0,3	2 000	C2V
115062	<b>E 3411</b>	411	6	60	0,36	10 000	C2R
115070	<b>E 3061</b>		6	100	0,6	2 000	C2V
115075	<b>E 3069</b>		6	180	1,1	2 000	C2V
115079	<b>E 3451</b>		6	250	1,5	2 000	C2R
115080	<b>E 3450</b>		6	350	2	2 000	C2V
115088	<b>E 3452</b>		6	500	3	1 000	C2R
115100	<b>E 3470</b>		6	700	4	1 000	C2R
115102	<b>E 3040</b>	40	6,3	150	1	3 000	C2R
115104	<b>E 3046</b>	46	6,3	250	1,6	3 000	C2R
115077	<b>E 3066</b>		6,5	100	0,65	2 000	C2V
115076	<b>E 3072</b>		6,5	150	1	2 000	C2V
115085	<b>E 3068</b>		6,5	300	2	2 000	C2A
115110	<b>E 3510</b>		7	100	0,7	2 000	C2V
115122	<b>E 3341</b>		7	300	2,1	2 000	C2R
115124	<b>E 3020</b>		10	50	0,5	2 000	C2V
115130	<b>E 3022</b>		12	20	0,24	1 000	C2V
115140	<b>E 3025</b>		12	50	0,6	1 000	C2V
115150	<b>E 3353</b>		12	100	1,2	1 000	C2V
115152	<b>E 3354</b>		12	120	1,44	1 000	C2V
115160	<b>E 3453</b>		12	170	2	2 000	C2V
115162	<b>E 1309</b>	1309	12	183	2,2	3 000	C2V
115165	<b>E 3023</b>		12	250	3	2 000	C2R
115170	<b>E 3893</b>		12	340	4	1 000	C2R
115175	<b>E 3032</b>		14	80	1,1	1 000	C2V
115177	<b>E 1487</b>	1487	14	200	2,8	2 000	C2V
115190	<b>E 3018</b>		18	20	0,36	1 000	C2V
115192	<b>E 3033</b>		18	100	1,8	1 000	C2V
115195	<b>E 3044</b>		18	166	3	1000	C2V
115210	<b>E 3045</b>		24	50	1,2	1 000	C2F
115230	<b>E 3456</b>		24	85	2	2 000	C2F
115240	<b>E 3041</b>		24	125	3	1 000	C2F
115250	<b>E 3476</b>		24	170	4	1 000	C2F
115258	<b>E 3477</b>		24	210	5	1 000	C2F
115260	<b>E 3027</b>		27	75	2	1 000	C2F
115330	<b>E 3028</b>		28	40	1,12	1 000	C2F

CODE STOCK PART NUMBER	RÉFÉRENCE	CODE US US CODE	VOLTS	MA	WATTS	DURÉE DE VIE AC LIFE	FILAMENT	
115331	<b>E 1821</b>	1821	28	170	4,7	500	C2F	
115350	<b>E 3030</b>		30	50	1,5	1 000	C2F	
115356	<b>E 3035</b>		30	66	2	1 000	C2F	
115360	<b>E 3010</b>		30	100	3	1 000	C2F	
115355	<b>E 3015</b>		30	80	2,4	1 000	C2F	
115402	<b>E 3459</b>		36	50	1,8	1 000	C2F	
115404	<b>E 1177</b>	1177	36	85	3	3 000	C2F	
115403	<b>E 1176</b>		42	72	3	2 000	C2F	
115620	<b>E 3462</b>		48	40	2	2 000	C2F	
115630	<b>E 3085</b>		48	50	2,4	1 000	C2F	
115634	<b>E 3086</b>		48	60	3	2 000	C2F	
115652	<b>E 3482</b>		48	80	4	1 000	C2F	
115636	<b>E 1823</b>	1823	48	100	4,8	1 000	C2V	
115637	<b>E 3608*</b>		50	50	2,5	2 000	CC2F	
115660	<b>E 3492</b>		52	58	3	1 000	C2F	
115680	<b>E 3062</b>		60	20	1,2	2 000	C2F	
115690	<b>E 3063</b>		60	30	1,8	1 000	C2F	
115700	<b>E 3064</b>		60	40	2,4	1 000	C2F	
115710	<b>E 3075</b>		60	50	3	2 000	C2F	
115694	<b>E 3073</b>		60	70	4	1 000	C2F	
115701	<b>E 3077</b>		60	83	5	1 000	C2F	
115698	<b>E 3071</b>		70	20	1,4	1 000	C2F	
115703	<b>E 3070</b>		70	40	3	1 000	C2F	
115706	<b>E 3187</b>		80	20	1,6	1 000	C2F	
115705	<b>E 3186</b>		80	40	3,2	1 000	C2F	
115704	<b>E 3185</b>		85	35	3	1 000	C2F	
115702	<b>E 3011*</b>		110	22	2,5	1 000	CC5A	
115720	<b>E 3019*</b>		110	36	4	1 000	CC5A	
115728	<b>E 3012*</b>		130	15	2	1 500	CC5	
115730	<b>E 3013*</b>		130	20	2,6	1 500	CC5A	
115733	<b>E 3016</b>		130	20	2,6	2 000	C7A	
115735	<b>E 3017*</b>		130	38	5	1 500	CC5	
115740	<b>E 3014*</b>		160	20	3	1 500	CC5	
115741	<b>E 3079*</b>		220	9	2	1 000	CC6	
115775	<b>E 3080*</b>		240	14	3/4	1 000	CC5A	
115774	<b>E 3087</b>		230	14	3/4	1 500	C7A	
115742	<b>E 3090*</b>		230	20	5	1 000	CC6	

**EMBALLAGE INDUSTRIEL/Bulk packing = 100 pièces**


115151	<b>E 3353 S</b>		12	100	1,2	1 000	C2V	
115161	<b>E 3453 S</b>		12	170	2	2 000	C2V	
115176	<b>E 3032 S</b>		14	80	1,1	1 000	C2V	
115211	<b>E 3045 S</b>		24	50	1,2	1 000	C2F	
115231	<b>E 3456 S</b>		24	85	2	2 000	C2F	
115241	<b>E 3041 S</b>		24	125	3	1 000	C2F	
115361	<b>E 3010 S</b>		30	100	3	1 000	C2F	
115635	<b>E 3086 S</b>		48	60	3	2 000	C2F	
115633	<b>E 3482 S</b>		48	80	4	1 000	C2F	
115711	<b>E 3075 S</b>		60	50	3	2 000	C2F	
115731	<b>E 3013 S</b>		130	20	2,6	1 500	CC5A	
115776	<b>E 3080 S</b>		240	14	3/4	1 000	CC5A	

\* Avec filament bi-spiralé.

**A1/66**

**E10 KRYPTON**

Ø 15 x 29 mm / Ø 17 x 30 mm max. (pour les blocs de sécurité et casques) / (for security blocs and miner helmet)



CODE STOCK PART NUMBER	RÉFÉRENCE	VOLTS	A	WATTS	FLUX LUMENS	DURÉE DE VIE AC LIFE
---------------------------	-----------	-------	---	-------	----------------	-------------------------

**E10 KRYPTON Ø 17 x 30 mm**


115018	<b>E 245</b>	2,4	1	2,4	19,5	100
115020	<b>E 243</b>	2,4	1,25	3	26	100
115021	<b>E 354</b>	3,6	0,25	0,9	-	500
115038	<b>E 356 K</b>	3,6	0,45	1,62	14,5	100
115036	<b>E 355</b>	3,6	0,5	1,8	20	100
115039	<b>E 358 K</b>	3,6	0,60	2,16	20	100
115037	<b>E 360 K</b>	3,6	1	3,6	40	100
115028	<b>E 362</b>	3,75	0,9	3,4	31	500
115027	<b>E 363</b>	3,75	1,5	5,6	-	500
115029	<b>E 364</b>	4	0,55	1,82	19	500
115030	<b>E 157</b>	4	0,8	3,2	30	500
115013	<b>E 486 K</b>	4,8	0,6	2,9	31	100
115025	<b>E 415</b>	6	0,45	2,70	30	100
115017	<b>E 416</b>	6	0,5	3	25	500
115031	<b>E 417</b>	6	0,9	5,4	62	500
115032	<b>E 418</b>	6	1	6	31	500

**E10 KRYPTON Ø 15 x 29 mm**

115050	<b>E 25060</b>	2,5	0,6	1,5	11	100
115051	<b>E 36090</b>	3,6	0,9	3,2	42	100
115040	<b>E 5951</b>	3,95	0,8	3,16	29	750
115042	<b>E 5953</b>	4	0,67	2,68	27	400
115044	<b>E 5954</b>	4	0,8	3,2	33	400
115046	<b>E 5956</b>	4	1,0	4	45	400
114966	<b>E 2805</b>	24	0,2	5	-	100

A1/67


**E10 - TYPE LONGUE DUREE**  
Ø 10 x 28 mm (sélectionnées pour synoptiques) - (Long life)



CODE STOCK PART NUMBER	RÉFÉRENCE	VOLTS	MA	WATTS	DURÉE DE VIE AC LIFE	FILAMENT
115083	<b>EA 602</b>	6	330	2	5 000	C2R
115084	<b>EA 3450</b>	6	350	2,1	5 000	C2R
115086	<b>EA 7516</b>	7,5	133	1	5 000	C2F
115153	<b>EA 981</b>	12	100	1,2	5 000	C2F
115154	<b>EA 3353</b>	12	190	1,2	10 000	C2F
115163	<b>EA 983</b>	12	166	2	5 000	C2F
115167	<b>EA 577</b>	12	250	3	5 000	C2F
115734	<b>E 4293</b>	18	166	3	10 000	C2F
115212	<b>E 3045F</b>	24	50	1,2	3 000	C2F
115233	<b>EA 985</b>	24	80	2	7 000	C2F
115235	<b>EA 5990</b>	24	125	3	3 000	C2F
115256	<b>EA 477</b>	24	180	4,3	25 000	C2F
115257	<b>EA 1819</b>	28	40	1,12	3 000	C2F
115623	<b>EA 992</b>	48	42	2	3 000	CC2F
115693	<b>EA 994</b>	60	33	2	3 000	CC2F
115712	<b>EA 3075</b>	60	50	3	5 000	CC2F
115699	<b>EA 970</b>	70	43	3	7 000	CC2F
115732	<b>EA 996</b>	130	20	2,4	3 000	CC5

A1/68

**E10 TUBE**  
Ø 10 x 38 mm




CODE STOCK PART NUMBER	RÉFÉRENCE	VOLTS	MA	WATTS	DURÉE DE VIE AC LIFE	FILAMENT
115777	<b>E 3824</b>	24	80	2	2 000	C2F
115778	<b>E 3818</b>	30	60	1,8	2 000	C2F
115790	<b>E 3830</b>	30	100	3	2 000	C2F
115800	<b>E 3848</b>	48	60	2,8	2 000	C2F
115810	<b>E 3860</b>	60	50	3	2 000	C2F
115815	<b>E 3859</b>	60	83	5	1 000	C2F
115816	<b>E 3870</b>	70	43	3	2 000	C2F
115830	<b>E 3813</b>	130	20	3/4	1 500	CC5
115836	<b>E 3812</b>	130	40	5	1 500	CC5
115840	<b>E 3814</b>	160	22	3	1 500	CC5
115850	<b>E 3815</b>	230	15	3/4	1 000	CC6



**A1/69**


**E10 TUBE**  
Ø 10 x 50 mm



CODE STOCK PART NUMBER	RÉFÉRENCE	VOLTS	mA	WATTS	DURÉE DE VIE AC LIFE	FILAMENT
115889	<b>E 4824</b>	24	125	3	2 000	C2F
115890	<b>E 4830</b>	30	100	3	2 000	C2F
115896	<b>E 4848</b>	48	60	3	2 000	C2F
115910	<b>E 4860</b>	60	50	3	2 000	C2F
115930	<b>E 4813</b>	130	30	3/4	2 000	CC5
115940	<b>E 4814</b>	160	22	3/4	2 000	CC5
115950	<b>E 4815</b>	230	20	4/5	1 000	CC7

**A1/70**

**E10 TUBE**  
Ø 16 x 35 mm




CODE STOCK PART NUMBER	RÉFÉRENCE	VOLTS	WATTS	DURÉE DE VIE AC LIFE	FILAMENT
117000	<b>E 3420</b>	12	5	2 000	C2R
117003	<b>E 3424</b>	24	5	2 000	C2V
117005	<b>E 3428</b>	48	5	2 000	C2F
117008	<b>E 3460</b>	60	5	2 000	C2F
117007	<b>E 3445</b>	160	5	2 000	C5A
117009	<b>E 3433</b>	255	3	2 000	C7A
117010	<b>E 3436</b>	255	5	2 000	C7A
117012	<b>E 3437</b>	255	7	2 000	C7A



A1/71


**E10 TUBE**  
Ø 15 x 43 mm



CODE STOCK PART NUMBER	RÉFÉRENCE	VOLTS	WATTS	DURÉE DE VIE AC LIFE	FILAMENT
117893	<b>E 4220</b>	12	5	2 000	C2R
117895	<b>E 4262</b>	24	5	2 000	C2R
117896	<b>E 4265</b>	27	5	2 000	C2V
117891	<b>E 4248</b>	48	5	2 000	C2F
117892	<b>E 4260</b>	60	7	2 000	C2F
117899	<b>E 4267</b>	130	10	2 000	C5A
117897	<b>E 4276</b>	250	7	2 000	C7A
117898	<b>E 4278</b>	250	15	1 000	C7A

A1/72

**E10 TUBE**  
Ø 17 x 48 mm




CODE STOCK PART NUMBER	RÉFÉRENCE	VOLTS	WATTS	DURÉE DE VIE AC LIFE	FILAMENT
118490	<b>E 4284</b>	220/260	7/10	1 000	C7A
118491	<b>E 4286</b>	260	15	1 000	C7A



**A1/73**

**E10 SPHERIQUE**  
Ø 25 x 45 mm



**SIGNALISATION**  
SIGNAL LAMPS

CODE STOCK PART NUMBER	RÉFÉRENCE	VOLTS	WATTS	DURÉE DE VIE AC LIFE	FILAMENT
124222	<b>E 5845</b>	12	15	1 000	C2R
124223	<b>E 5846</b>	24	10	1 000	C2R
124224	<b>E 5847</b>	125	10	1 000	C5A
124226	<b>E 5848</b>	125	15	1 000	C5A
124230	<b>E 5855</b>	230	10	1 000	C7A
124228	<b>E 5850</b>	230	15	1 000	C7A

